Table 1.A. - Preliminary Cod Landings by Stock Area

									2003/20	004*	2002/2	003*	Fishing
	NOV -	2003	DEC -	2003	JAN -	2004	MAY 03 -	JAN 04	May03-Jan04	Target	May02-Jan03	Target	Year*
									as a % of	TAC	as a % of	TAC	Landings
	1000 Lbs	Percent	Target TAC	1000 Lbs	Target TAC	1000 Lbs	1000 Lbs						
GULF OF MAINE	841	59%	1,247	62%	591	55%	6,042	44%	102%	5,899	144%	4,229	
OTTER TRAWL	485	34%	775	38%	303	28%	3,366	25%	57%		77%		
GILLNET	337	23%	377	19%	219	20%	2,413	18%			60%		
HOOK	5	0%	54	3%	49	5%	139	1%			3%		
OTHER GEARS	14	1%	40	2%	19	2%	124	1%	2%		4%		
GEORGES BANK	595	41%	769	38%	491	45%	7,662	56%	135%	5,694	105%	10,803	
OTTER TRAWL	451	31%	534	26%	328	30%	5,747	42%	101%		76%		
GILLNET	69	5%	164	8%	98	9%	1,420	10%	25%		20%		
HOOK	24	2%	38	2%	47	4%	228	2%	4%		5%		
OTHER GEARS	52	4%	33	2%	18	2%	267	2%	5%		4%		
ALL AREAS	1,436	100%	2,016	100%	1,082	100%	13,704	100%	118%	11,593	116%	15,032	
OTTER TRAWL	936	65%	1,309		631	58%	9,113		79%	11,333	76%	13,032	<del> </del>
GILLNET	406	28%	542	27%	317	29%	3,833				31%		
HOOK	29	2%	92	5%	96	9%	367	3%	3%		5%		+
OTHER GEARS	65	5%	73	4%	37	3%	390	3%			4%		
LANDINGS - ALL AREAS				.,,									
Fishing Year 2003/2004	1,436		2,016		1,082		13,704						_
Fishing Year 2002/2003	1,486		2,481		1,657		17,425						25,327
Fishing Year 2001/2002	2,562		2,961		2,505		24,843						35,510
Fishing Year 2000/2001	1,823		1,911		2,048		19,131						27,945
Fishing Year 1999/2000	786		1,231		1,397		14,744						21,323
Fishing Year 1998/1999			2,088		1,514		17,118						23,702

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-637

- 2. Landings in live weight.
- 3. State landings for 2002 have been updated and are complete.
- 4. State landings for CT are estimated for the MAY 2003 JAN 2004 period.
- 5. Gear data are based on vessel trip reports.
- \* Fishing Year is May 1 through April 30.

Table 1.B. - Preliminary Cod Landings by Major Ports and States, May - Jan 2004

			STOCK	AREAS					GEAR	TYPES			
PORT/ STATE	MAY - JAN 04	GULF OF	FMAINE	GEORGE	S BANK	OTTER	TRAWL	GILL	NET	но	ок	OTHER	GEARS
	1000 Lbs	1000 Lbs	Percent										
Portland, ME	987	726	74%	261	26%	577	58%	398	40%	13	1%	0	0%
Gloucester, MA	3,274	2,430	74%	844	26%	2,033	62%	1,119	34%	62	2%	60	2%
Boston, MA	325	71	22%	254	78%	321	99%	0	0%	2	1%	2	1%
New Bedford, MA	4,197	131	3%	4,067	97%	4,191	100%	3	0%	0	0%	4	0%
Point Judith, RI	35	1	4%	34	96%	31	89%	1	3%	0	0%	3	8%
				•									
MAINE	1,380	1,119	81%	261	19%	794	58%	569	41%	13	1%	5	0%
NEW HAMPSHIRE	1,109	1,108	100%	1	0%	517	47%	583	53%	0	0%	9	1%
MASSACHUSETTS	11,049	3,814	35%	7,235	65%	7,694	70%	2,671	24%	355	3%	329	3%
RHODE ISLAND	155	1	1%	153	99%	102	66%	11	7%	0	0%	42	27%
CONNECTICUT	6	0	0%	6	100%	6	99%	0	0%	0	0%	0	0%
NEW YORK	5	0	0%	5	98%	1	0%	0	0%	0	0%	5	89%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	13,704	6,042	44%	7,662	56%	9,113	66%	3,833	28%	367	3%	390	3%

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-637

2. State landings for CT are estimated for the May 2003 - Jan. 2003 period.

- 3. Landings in live weight.
- 4. Gear data are based on vessel trip reports.

Table 2.A. - Preliminary Haddock Landings by Stock Area

									2003/20	004*	2002/20	003*	Fishing
	NOV -	2003	DEC -	2003	JAN -	2004	MAY 03 ·	- JAN 04	MAY03-JAN04	Target	MAY02-JAN03	Target	Year*
	4000 11:-	Danisat	4000	Demont	4000	Demonst	4000	Danasas	as % of Target TAC	TAC	as % of Target TAC	TAC	Landings
GULF OF MAINE	1000 Lbs <b>192</b>	Percent 20%	1000 Lbs <b>251</b>	Percent 25%	1000 Lbs	Percent 17%	1000 Lbs <b>1.501</b>	Percent 16%	17.0	1000 Lbs	17.0	1000 Lbs	1000 Lbs
OTTER TRAWL	192	20% 19%	231	23%	140	17%	1,299	14%					
GILLNET		0%	-	23% 0%	140	0%	1,299	14%					
HOOK	4 6	1%	4 16	2%	31	3%	81	1%					
OTHER GEARS	0	0%	0	2% 0%	0		4	0%					
OTHER GEARS	U	076	U	0%	U	076	4	0%					
GEORGES BANK	749	80%	749	75%	824	82%	7,633	84%	30%	25,586	36%	25,751	
OTTER TRAWL	659	70%	696	70%	799	80%	7,184	79%	28%	,	35%	· · · · · · · · · · · · · · · · · · ·	
GILLNET	2	0%	2	0%	2	0%	75	1%	0%		1%		
HOOK	87	9%	35	4%	23	2%	328	4%	1%		0%		
OTHER GEARS	1	0%	15	2%	0	0%	46	1%	0%		0%		
SNE/ MID-ATLANTIC	0	0%	0	0%	1	0%	2	0%					
OTTER TRAWL	0	0%	0	0%	1	0%	2	0%					
GILLNET	0	0%	0	0%	0	0%	0	0%					
HOOK	0	0%	0	0%	0	0%	0	0%					
OTHER GEARS	0	0%	0	0%	0	0%	0	0%					
ALL AREAS	044	4000/	4.000	4000/	200	4000/	0.400	4000/					
ALL AREAS	941	100%	1,000	100%	999	100%	9,136	100%					
OTTER TRAWL	841	89%	928	93%	940		8,485	93%					
GILLNET HOOK	6 93	1% 10%	6 51	1% 5%	5 54	1% 5%	191 410	2% 4%					
OTHER GEARS	93	0%	15	2%	0		50	1%					
LANDINGS - ALL AREAS		0 70	10	2 /0	U	070	30	1 70					
Fishing Year 2003/2004	941		1,000		999		9,136						_
Fishing Year 2002/2003	547		607		994		10,570						16,198
Fishing Year 2001/2002	654		898		1,574		8,868						14,341
Fishing Year 2000/2001	371		752		1,380		6,332						10,501
Fishing Year 1999/2000	333		745		544		5,672						8,999
Fishing Year 1998/1999	378		558		703		4,921						6,009
og . oa	0.0		000				.,						0,000

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 611-639

- 2. Landings in live weight.
- 3. State landings for 2002 have been updated and are complete.
- 4. State landings for CT are estimated for the MAY 2003 JAN 2004 period.
- 5. Gear data are based on vessel trip reports.
- \* Fishing Year is May 1 through April 30.

Table 2.B. - Preliminary Haddock Landings by Major Ports and States, May 03 - Jan 04

				STOCK	AREAS						GEAR	TYPES			
PORT/ STATE	MAY 03 - JAN 04	GULF OF	MAINE	GEORGE	S BANK	MID-AT	LANTIC	OTTER	TRAWL	GILL	NET	нс	ок	OTHER	GEARS
	1000 Lbs	1000 Lbs	Percent												
Portland, ME	716	379	53%	337	47%	0	0%	657	92%	43	6%	16	2%	0	0%
Gloucester, MA	2,076	617	30%	1,457	70%	2	0%	1,976	95%	43	2%	39	2%	17	1%
Boston, MA	307	92	30%	215	70%	0	0%	307	100%	0	0%	0	0%	0	0%
New Bedford, MA	4,900	94	2%	4,806	98%	0	0%	4,900	100%	0	0%	0	0%	0	0%
Point Judith, RI	87	0	0%	86	100%	0	0%	87	100%	0	0%	0	0%	0	0%
MAINE	775	438	57%	337	43%	0	0%	713	92%	46	6%	16	2%	0	0%
NEW HAMPSHIRE	75	75	100%	0	0%	0	0%	47	62%	28	37%	0	0%	0	0%
MASSACHUSETTS	8,040	987	12%	7,051	88%	2	0%	7,509	93%	117	1%	394	5%	20	0%
RHODE ISLAND	234	0	0%	233	100%	0	0%	204	87%	0	0%	0	0%	30	13%
CONNECTICUT	12	0	0%	12	100%	0	0%	12	100%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	9,136	1,501	16%	7,633	84%	2	0%	8,485	93%	191	2%	410	4%	50	1%

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 611-639

- 2. State landings for CT are estimated for the May 2003 Jan 2004 period.
- 3. Landings in live weight.
- 4. Gear data are based on vessel trip reports.

Table 3.A. - Preliminary Yellowtail Landings by Stock Area

									2003/2	004*	2002/2	003*	Fishing
	NOV -	2003	DEC -	2003	JAN -	2004	MAY 03 -	JAN 04	MAY03-JAN04	Target	MAY02-JAN03	Target	Year*
									as % of Target	TAC	as % of Target	TAC	Landings
	1000 Lbs	Percent	TAC	1000 Lbs	TAC	1000 Lbs	1000 Lbs						
GULF OF MAINE	5	0%	80	5%	9	1%	162	2%					
OTTER TRAWL	5		80	5%	9	1%	162	2%					
GILLNET	0	0%	0	0%	0	0%	0	0%					
HOOK	0	0,10	0	0%	0	0%	0	0%					
OTHER GEARS	0	0%	0	0%	0	0%	0	0%					
CAPE COD	170	13%	615	36%	135	16%	2,324	29%					
OTTER TRAWL	169	13%	614	36%	131	16%	2,287	29%					
GILLNET	1	0%	0	0%	4	0%	35	0%					
HOOK	0	0%	0	0%	0	0%	0	0%					
OTHER GEARS	0	0%	1	0%	0	0%	2	0%					
GEORGES BANK	1,104	86%	969	57%	665	79%	5,190	66%	30%	17,288	21%	15,003	
OTTER TRAWL	1,104	86%	969	57%	665	79%	5,186	66%	30%		21%		
GILLNET	0	0%	0	0%	0	0%	2	0%	0%		0%		
HOOK	0	0%	0	0%	0	0%	0	0%	0%		0%		
OTHER GEARS	0	0%	0	0%	0	0%	2	0%	0%		0%		
SNE/ MID-ATLANTIC	12	1%	22	1%	34	4%	214	3%	55%	393	37%	2,092	
OTTER TRAWL	12	0	22	0	32	0	211	3%	54%		37%		
GILLNET	0	0%	0	0%	0	0%	0	0%	0%		0%		
HOOK	0		0	0%	0	0%	0	0%	0%		0%		
OTHER GEARS	0	0%	0	0%	2	0%	3	0%	1%		0%		
ALL AREAS	1,291	100%	1,685	100%	843	100%	7,891	100%					
OTTER TRAWL	1,290	100%	1,684	100%	837	99%	7,846	99%					
GILLNET	1	0%	0	0%	4	0%	38	0%					
HOOK	0	0%	0	0%	0	0%	0	0%					
OTHER GEARS	0	0%	1	0%	2	0%	7	0%					
LANDINGS - ALL AREAS													
Fishing Year 2003/2004	1,291		1,685		843		7,891						-
Fishing Year 2002/2003	365		1,448		1,145		7,926						11,774
Fishing Year 2001/2002	951		1,618		1,328		10,908						14,604
Fishing Year 2000/2001	1,701		2,256		2,001		11,503						15,990
Fishing Year 1999/2000	522		2,185		1,453		7,299						11,601
Fishing Year 1998/1999	553		1,346		1,033		6,682						9,571

The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515

Cape Cod: 514, 521

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

- 2. Landings in live weight.
- 3. State landings for 2002 have been updated and are complete.
- 4. State landings for CT are estimated for the MAY 2003 JAN 2004 period.
- 5. Gear data are based on vessel trip reports.
- \* Fishing Year is May 1 through April 30.

Table 3.B. - Preliminary Yellowtail Landings by Major Ports and States, May 03 - Jan 04

					STOCK	AREAS							GEAR	TYPES			
PORT/ STATE	MAY 03 - JAN 04	GULF O	FMAINE	CAPE	COD	GEORGE	S BANK		RN NEW LAND	OTTER 1	TRAWL	GILI	NET	но	ок	OTHER	GEARS
	1000 Lbs	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent						
Portland, ME	36	8	21%	3	9%	25	70%	0	0%	36	100%	0	0%	0	0%	0	0%
Gloucester, MA	690	40	6%	566	82%	81	12%	3	0%	674	98%	15	2%	0	0%	0	0%
Boston, MA	104	2	2%	92	88%	10	10%	0	0%	104	100%	0	0%	0	0%	0	0%
New Bedford, MA	5,727	48	1%	992	17%	4,626	81%	61	1%	5,725	100%	0	0%	0	0%	2	0%
Point Judith, RI	240	18	7%	5	2%	143	60%	75	31%	238	99%	0	0%	0	0%	2	1%
MAINE	37	8	23%	3	9%	25	69%	0	0%	37	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	58	41	70%	17	30%	0	0%	0	0%	58	99%	0	0%	0	0%	0	0%
MASSACHUSETTS	7,220	95	1%	2,289	32%	4,768	66%	69	1%	7,180	99%	37	1%	0	0%	3	0%
RHODE ISLAND	525	18	3%	14	3%	393	75%	101	19%	522	99%	0	0%	0	0%	3	1%
CONNECTICUT	13	0	0%	0	0%	4	34%	9	66%	13	97%	0	0%	0	0%	0	0%
NEW YORK	34	0	0%	0	0%	0	0%	34	100%	34	100%	0	0%	0	0%	0	0%
NEW JERSEY	2	0	0%	0	0%	0	0%	2	100%	2	94%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	7,891	162	2%	2,324	29%	5,190	66%	214	3%	7,846	99%	38	0%	0	0%	7	0%

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515

Cape Cod: 514, 521

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

- 2. State landings for CT are estimated for the May 2003 Jan. 2004 period.
- 3. Landings in live weight.
- 4. Gear data are based on vessel trip reports.

**Table 4.A. - Preliminary Prorated White Hake Landings** 

	NOV -	2003	DEC -	2003	JAN -	2004	MAY 03 -	- JAN 04	Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
SNE/ NORTH	686	100%	546	100%	604	100%	6,454	100%	
OTTER TRAWL	466	68%	433	79%	528	87%	3,992	62%	
GILLNET	217	32%	106	19%	75	12%	2,395	37%	
HOOK	3	0%	4	1%	0	0%	58	1%	
OTHER GEARS	0	0%	3	1%	0	0%	9	0%	
MID-ATLANTIC	0	0%	0	0%	0	0%	2	0%	
OTTER TRAWL	0	0%	0	0%	0	0%	1	0%	
GILLNET	0	0%	0	0%	0	0%	1	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	U U	0 70	U <sub>1</sub>	0 70	U <sub>I</sub>	0 70	<u> </u>	0 70	
ALL AREAS	686	100%	546	100%	604	100%	6,456	100%	
OTTER TRAWL	466	68%	433	79%	528	87%	3,994	62%	
GILLNET	217	32%	106	19%	75	12%	2,395	37%	
HOOK	3	0%	4	1%	0	0%	58	1%	
OTHER GEARS	0	0%	4	1%	0	0%	9	0%	
LANDINGS - ALL AREAS									
Fishing Year 2003/2004	686		546		604		6,456		-
Fishing Year 2002/2003	531		578		801		5,451		7,686
Fishing Year 2001/2002	661		630		656		6,471		8,344
Fishing Year 2000/2001	489		376		460		5,549		6,932
Fishing Year 1999/2000	383		274		273		4,723		5,928
Fishing Year 1998/1999	460		419		332		4,692		5,655

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake Stock Areas: Southern New England/ North: 464-465, 467, 500-562

Mid-Atlantic: 600-639

- 2. Landings in live weight.
- 3. State landings for CT are estimated for the May 2003 Jan. 2004 period.
- 5. Gear data are based on vessel trip reports.
- \* Fishing Year is May 1 through April 30.

Table 4.B. - Preliminary White Hake Landings by Major Ports and States, May 03 - Dec 04

		STOCK AREAS 04 SOUTHERN NEW							GEAR	TYPES			
PORT/ STATE	MAY 03 - JAN 04	SOUTHE ENGL		MID-ATI	ANTIC	OTTER	TRAWL	GILL	.NET	но	ок	OTHER	GEARS
	1000 Lbs	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	3,502	3,501	100%	1	0%	2,411	69%	1,061	30%	30	1%	0	0%
Gloucester, MA	1,501	1,501	100%	0	0%	753	50%	739	49%	7	0%	3	0%
Boston, MA	294	294	100%	0	0%	294	100%	0	0%	0	0%	0	0%
New Bedford, MA	161	161	100%	0	0%	161	100%	0	0%	0	0%	0	0%
Point Judith, RI	4	4	100%	0	0%	4	100%	0	0%	0	0%	0	0%
MAINE	3,938	3,937	100%	1	0%	2,666	68%	1,241	32%	30	1%	1	0%
NEW HAMPSHIRE	435	435	100%	0	0%	59	14%	376	86%	0	0%	0	0%
MASSACHUSETTS	2,044	2,044	100%	0	0%	1,233	60%	778	38%	28	1%	6	0%
RHODE ISLAND	37	37	100%	0	0%	35	96%	0	0%	0	0%	1	4%
CONNECTICUT	1	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	1	0	0%	1	99%	1	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	6,456	6,454	100%	2	0%	3,994	62%	2,395	37%	58	1%	9	0%

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake stock areas: Southern New England / North: 464-465, 467, 500-562

Mid-Atlantic: 600-639

2. State landings for CT are estimated for the May 2003 - Jan. 2004 period.

- 3. Landings in live weight.
- 4. Gear data are based on vessel trip reports.

**Table 5.A. - Preliminary Prorated American Plaice Landings** 

	NOV -	2003	DEC -	2003	JAN -	2004	MAY 03	- JAN 04	Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs						
GULF OF MAINE/ GB	396	100%	325	100%	266	99%	3,820	99%	
OTTER TRAWL	396	100%	325	100%	266	99%	3,799	99%	
GILLNET	0	0%	0	0%	0	0%	12	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	9	0%	
SNE / MID-ATLANTIC	0	0%	0	0%	2	1%	20	1%	
OTTER TRAWL	0	0%	0	0%	2	1%	20	1%	
GILLNET	0	0%	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
ALL AREAS	396	100%	325	100%	268	100%	3,840	100%	
OTTER TRAWL	396	100%	325	100%	268	100%	3,818	99%	
GILLNET	0	0%	0	0%	0	0%	12	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	9	0%	
LANDINGS - ALL AREAS									
Fishing Year 2003/2004	396		325		268		3,840		-
Fishing Year 2002/2003	470		481		459		5,249		6,236
Fishing Year 2001/2002	647		690		839		8,074		9,978
Fishing Year 2000/2001	737		648		812		8,242		9,949
Fishing Year 1999/2000	482		570		365		5,514		7,003
Fishing Year 1998/1999	396		491		378		6,406		7,787

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. State landings for CT are estimated for the May 2003 Jan. 2004 period.
- 4. Gear data are based on vessel trip reports.
- \* Fishing Year is May 1 through April 30.

Table 5.B. - Preliminary American Plaice Landings by Major Ports and States, May 03 - Jan 04

			STOCK	AREAS					GEAR	TYPES			
PORT/ STATE	MAY 03 - JAN 04	GULF OF	MAINE	SOUTHEI ENGL		OTTER	TRAWL	GILL	.NET	НО	ОК	OTHER	GEARS
	1000 Lbs	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	1,236	1,235	100%	1	0%	1,233	100%	3	0%	0	0%	0	0%
Gloucester, MA	536	534	100%	2	0%	534	100%	2	0%	0	0%	0	0%
Boston, MA	247	247	100%	0	0%	247	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,017	1,002	99%	15	1%	1,016	100%	0	0%	0	0%	0	0%
Point Judith, RI	33	33	100%	0	0%	33	100%	0	0%	0	0%	0	0%
MAINE	1,733	1,732	100%	1	0%	1,726	100%	4	0%	0	0%	3	0%
NEW HAMPSHIRE	36	36	100%	0	0%	31	86%	5	14%	0	0%	0	0%
MASSACHUSETTS	1,992	1,975	99%	17	1%	1,989	100%	3	0%	0	0%	0	0%
RHODE ISLAND	78	76	98%	2	2%	72	93%	0	0%	0	0%	6	7%
CONNECTICUT	1	1	0%	0	0%	1	0%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	3,840	3,820	99%	20	1%	3,818	99%	12	0%	0	0%	9	0%

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. State landings for CT are estimated for the May 2003 Jan. 2004 period.
- 3. Landings in live weight.
- 4. Gear data are based on vessel trip reports.

**Table 6.A. - Preliminary Prorated Winter Flounder Landings** 

	NOV -	2003	DEC -	2003	JAN -	2004	MAY 03	- JAN 04	Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs						
GULF OF MAINE	62	5%	327	38%	51	23%	1,144	11%	
OTTER TRAWL	59	5%	327	37%	51	23%	1,060	10%	
GILLNET	3	0%	1	0%	1	0%	81	1%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	3	0%	
GEORGES BANK	468	38%	378	43%	86	39%	5,948	55%	
OTTER TRAWL	468	38%	377	43%	86	39%	5,940	55%	
GILLNET	0	0%	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	8	0%	
SNE/ MID-ATLANTIC	690	57%	168	19%	85	38%	3,658	34%	
OTTER TRAWL	684	56%	166	19%	84	38%	3,608	34%	
GILLNET	6	0%	1	0%	0	0%	44	0%	
HOOK	0	0%	0	0%	0	0%	1	0%	
OTHER GEARS	1	0%	1	0%	0	0%	5	0%	
ALL AREAS	1,221	100%	873	100%	222	100%	10,751	100%	
OTTER TRAWL	1,212	99%	870	100%	221	99%	10,608	99%	
GILLNET	8	1%	1	0%	1	0%	126	1%	
HOOK	0	0%	0	0%	0	0%	1	0%	
OTHER GEARS	1	0%	1	0%	1	0%	16	0%	
LANDINGS - ALL AREAS									
Fishing Year 2003/2004	1,221		873		222		10,751		-
Fishing Year 2002/2003	1,004		1,111		442		10,589		11,941
Fishing Year 2001/2002	1,469		1,274		495		13,040		15,383
Fishing Year 2000/2001	1,489		980		446		11,510		13,796
Fishing Year 1999/2000	1,265		850		228		8,832		10,366
Fishing Year 1998/1999	913		881		178		9,804		11,283

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder Stock Areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England/ Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

- 2. Landings in live weight.
- 3. State landings for CT are estimated for the May 2003 Jan. 2004 period.
- 4. Gear data are based on vessel trip reports.
- \* Fishing Year is May 1 through April 30.

Table 6.B. - Preliminary Winter Flounder Landings by Major Ports and States, May 03 - Jan 04

				STOCK	AREAS						GEAR	TYPES			
PORT/ STATE	MAY 03 - JAN 04	GULF O	FMAINE	GEORGE	S BANK	SOUTHE ENGL		OTTER	TRAWL	GILL	.NET	но	юк	OTHER	GEARS
	1000 Lbs	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	85	12	14%	60	70%	14	16%	85	100%	0	0%	0	0%	0	0%
Gloucester, MA	530	338	64%	145	27%	46	9%	490	92%	40	8%	0	0%	0	0%
Boston, MA	89	53	60%	26	30%	9	11%	89	100%	0	0%	0	0%	0	0%
New Bedford, MA	8,133	175	2%	5,634	69%	2,324	29%	8,130	100%	0	0%	0	0%	3	0%
Point Judith, RI	432	1	0%	41	9%	390	90%	431	100%	0	0%	0	0%	0	0%
MAINE	86	12	14%	60	69%	14	16%	86	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	17	17	100%	0	0%	0	0%	12	73%	5	27%	0	0%	0	0%
MASSACHUSETTS	9,427	1,115	12%	5,808	62%	2,504	27%	9,298	99%	121	1%	1	0%	8	0%
RHODE ISLAND	599	1	0%	79	13%	519	87%	592	99%	0	0%	0	0%	6	1%
CONNECTICUT	55	0	0%	2	4%	53	96%	55	100%	0	0%	0	0%	0	0%
NEW YORK	199	0	0%	0	0%	199	100%	197	99%	0	0%	0	0%	2	1%
NEW JERSEY	368	0	0%	0	0%	368	100%	368	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	10,751	1,144	11%	5,948	55%	3,658	34%	10,608	99%	126	1%	1	0%	16	0%

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

- 2. State landings for CT are estimated for the May 2003 Jan. 2004 period.
- 3. Landings in live weight.
- 4. Gear data are based on vessel trip reports.

**Table 7.A. - Preliminary Prorated Witch Flounder Landings** 

	NOV -	2003	DEC -	2003	JAN -	2004	MAY 03 -	- JAN 04	Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs						
GULF OF MAINE/ GB	446	100%	338	99%	355	99%	5,000	98%	
OTTER TRAWL	445	100%	338	99%	355	99%	4,956	97%	
GILLNET	1	0%	0	0%	0	0%	37	1%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	1	0%	0	0%	0	0%	7	0%	
SNE/ MID-ATLANTIC	0	0%	3	1%	4	1%	84	2%	
OTTER TRAWL	0	0%	3	1%	4	1%	82	2%	
GILLNET	0	0%	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	2	0%	
			•						
ALL AREAS	446	100%	342	100%	359	100%	5,085	100%	
OTTER TRAWL	445	100%	342	100%	359	100%	5,039	99%	
GILLNET	1	0%	0	0%	0	0%	37	1%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	1	0%	0	0%	0	0%	9	0%	
LANDINGS - ALL AREAS									
Fishing Year 2003/2004	446		342		359		5,085		-
Fishing Year 2002/2003	334		310		318		4,577		6,168
Fishing Year 2001/2002	373		503		573		5,052		7,246
Fishing Year 2000/2001	351		331		595		4,357		5,941
Fishing Year 1999/2000	280		348		294		3,577		4,896
Fishing Year 1998/1999	164		214		279		2,932		4,048

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562

Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. State landings for CT are estimated for the May 2003 Jan. 2004 period.
- 4. Gear data are based on vessel trip reports.
- Fishing Year is May 1 through April 30.

Table 7.B. - Preliminary Witch Flounder Landings by Major Ports and States, May 03 - Jan 04

			STOCK	AREAS					GEAR	TYPES			
PORT/ STATE	MAY 03 - JAN 04	GULF OF	MAINE	SOUTHE ENGL		OTTER	TRAWL	GILL	NET	но	ок	OTHER (	GEARS
	1000 Lbs	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	765	764	100%	1	0%	764	100%	1	0%	0	0%	0	0%
Gloucester, MA	1,463	1,462	100%	2	0%	1,441	98%	23	2%	0	0%	0	0%
Boston, MA	397	397	100%	0	0%	397	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,172	1,155	99%	17	1%	1,170	100%	0	0%	0	0%	2	0%
Point Judith, RI	52	36	68%	16	32%	52	100%	0	0%	0	0%	0	0%
MAINE	1,075	1,074	100%	1	0%	1,073	100%	1	0%	0	0%	1	0%
NEW HAMPSHIRE	123	123	100%	0	0%	121	98%	2	2%	0	0%	0	0%
MASSACHUSETTS	3,716	3,696	99%	20	1%	3,679	99%	33	1%	0	0%	4	0%
RHODE ISLAND	123	103	84%	20	16%	119	97%	0	0%	0	0%	4	3%
CONNECTICUT	7	4	65%	2	35%	7	100%	0	0%	0	0%	0	0%
NEW YORK	3	0	0%	3	100%	3	100%	0	0%	0	0%	0	0%
NEW JERSEY	37	0	0%	37	100%	37	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	1	0	0%	1	0%	1	0%	0	0%	0	0%	0	0%
TOTAL	5,085	5,000	98%	84	2%	5,039	99%	37	1%	0	0%	9	0%

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562

Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. State landings for CT are estimated for the May 2003 Jan. 2004 period.
- 3. Landings in live weight.
- 4. Gear data are based on vessel trip reports.

**Table 8.A. - Preliminary Prorated Windowpane Flounder Landings** 

	NOV -	2003	DEC -	2003	JAN -	2004	MAY 03 -	- JAN 04	Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs						
GULF OF MAINE/ GB	0	0%	5	42%	10	56%	19	30%	
OTTER TRAWL	0	0%	5	42%	10	55%	19	30%	
GILLNET	0	0%	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
			_		_				
SNE/ MID-ATLANTIC	3	95%	7	58%	8	44%	43	70%	
OTTER TRAWL	3	95%	7	58%	8	44%	43	69%	
GILLNET	0	0%	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
ALL AREAS	3	100%	12	100%	19	100%	62	100%	
OTTER TRAWL	3	100%	12	100%	19	100%	62	100%	
GILLNET	0	0%	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
LANDINGS - ALL AREAS									
Fishing Year 2003/2004	3		12		19		62		-
Fishing Year 2002/2003	4		19		18		77		135
Fishing Year 2001/2002	16		25		44		149		261
Fishing Year 2000/2001	23		18		61		215		431
Fishing Year 1999/2000	38		28		24		187		600
Fishing Year 1998/1999	37		59		25		438		613

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562 Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

- 2. Landings in live weight.
- 3. State landings for CT are estimated for the May 2003 Jan. 2004 period.
- 4. Gear data are based on vessel trip reports.
- \* Fishing Year is May 1 through April 30.

Table 8.B. - Preliminary Windowpane Flounder Landings by Major Ports and States, May 03 - Jan 04

			STOCK	AREAS					GEAR	TYPES			
PORT/ STATE	MAY 03 - JAN 04	GULF OI	MAINE	SOUTHE ENGI	RN NEW _AND	OTTER	TRAWL	GILI	_NET	но	ок	OTHER	GEARS
	1000 Lbs	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Boston, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
New Bedford, MA	16	16	100%	0	0%	16	100%	0	0%	0	0%	0	0%
Point Judith, RI	9	1	0%	8	89%	9	100%	0	0%	0	0%	0	0%
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	1	1	0%	0	0%	1	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	17	17	100%	0	0%	17	100%	0	0%	0	0%	0	0%
RHODE ISLAND	10	1	0%	9	91%	10	100%	0	0%	0	0%	0	0%
CONNECTICUT	1	0	0%	1	0%	1	100%	0	0%	0	0%	0	0%
NEW YORK	24	0	0%	24	100%	24	99%	0	0%	0	0%	0	0%
NEW JERSEY	9	0	0%	9	100%	9	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	62	19	30%	43	70%	62	100%	0	0%	0	0%	0	0%

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562 Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

- 2. State landings for CT are estimated for the May 2003 Jan. 2004 period.
- 3. Landings in live weight.
- 4. Gear data are based on vessel trip reports.

Table 9 - Preliminary Multispecies Landings\*\*

										2003/2	004*	2002/2	003*	Fishing
		NOV	- 2003	DEC -	2003	JAN -	2004	MAY 03 -	JAN 04	May03-Jan04 as a % of	Target TAC	May02-Jan03 as a % of	Target TAC	Year* Landings
		1000 Lbs	Percent	Target TAC	1000 Lbs	Target TAC	1000 Lbs	1000 Lbs						
ATLANTIC POLLOCK	2003/2004	1,039	27%	1,087	34%	1,007	40%	7,011	21%	11%				
	2002/2003	610	20%	815	24%	906	30%	5,346	17%			10%		
	2001/2002	913	22%	1,094	25%	1,142	29%	7,620	19%					
	2000/ 2001	641	17%	714	23%	903	27%	6,825	18%					
	1999/ 2000	902	27%	922	30%	752	38%	6,594	22%					
REDFISH	2003/2004	59	2%	37	1%	71	3%	688	2%	1%				
KEDFISH	2003/2004	38	1%	43	1%	72	2%	432	1%	1 /0		1%		1
	2002/2003	69	2%	107	2%	151	4%	733	2%			1 /0		1
	2001/ 2002	54	1%	45	1%	71	2%	584	2%	1		-		· <b>ł</b>
	1999/ 2000	52	2%	59	2%	55	3%	546	2%					-
	1999/ 2000	32	270	39	270	55	3%	546	270					<del>                                     </del>
WHITE HAKE	2003/2004	686	18%	546	17%	604	24%	6,456	19%	11%				
	2002/2003	531	18%	578	17%	801	27%	5,451	17%			10%		
	2001/2002	661	16%	630	15%	656	17%	6,471	16%					
	2000/ 2001	489	13%	376	12%	460	14%	5,549	15%					
	1999/ 2000	383	11%	274	9%	273	14%	4,723	16%					
		222	400/		100/		4.407	0.040	4.407	201				
AMERICAN PLAICE	2003/2004	396	10%	325	10%	268	11%	3,840	11%	6%		00/		<u> </u>
	2002/2003	470	16%	481	14%	459	15%	5,249	17%			9%		<b>.</b>
	2001/2002	647	16%	690	16%	839	22%	8,074	20%					<b>.</b>
	2000/ 2001	737	19%	648	21%	812	24%	8,242	22%					4
	1999/ 2000	482	14%	570	19%	365	18%	5,514	18%					<b>-</b>
WINTER FLOUNDER	2003/2004	1,221	32%	873	27%	222	9%	10,751	32%	18%				
	2002/2003	1,004	34%	1.111	33%	442	15%	10.589	33%			19%		1
	2001/2002	1,469	35%	1,274	29%	495	13%	13,040	32%					1
	2000/ 2001	1,489	39%	980	31%	446	13%	11,510	31%					1
	1999/ 2000	1,265	37%	850	28%	228	11%	8,832	29%					
WITCH FLOUNDER	2003/2004	446	12%	342	11%	359	14%	5,085	15%	8%				
	2002/2003	334	11%	310	9%	318	11%	4,577	14%			8%		
	2001/ 2002	373	9%	503	12%	573	15%	5,052	12%					
	2000/ 2001	351	9%	331	11%	595	18%	4,357	12%					
	1999/ 2000	280	8%	348	11%	294	15%	3,577	12%					<u> </u>
WINDOWPANE FLDR	2003/2004	3	0%	12	0%	19	1%	62	0%	0%				
	2002/2003	4	0%	19	1%	18	1%	77	0%	<u> </u>		0%		<b>†</b>
	2001/2002	16	0%	25	1%	44	1%	149	0%	<del>                                     </del>		0,0		<b>†</b>
	2000/ 2001	23	1%	18	1%	61	2%	215	1%					
	1999/ 2000	38	1%	28	1%	24	1%	187	1%			1		
						-								
ALL 7 SPECIES - TOTAL	2003/ 2004	3,850	100%	3,222	100%	2,550	100%	33,892	100%	55%	61,329	5601	F0 000	-
	2002/ 2003	2,991	100%	3,356	100%	3,016	100%	31,720	100%	1		56%	56,200	41,057
	2001/ 2002	4,148	100%	4,323	100%	3,900	100%	41,141	100%	1				52,175
	2000/ 2001	3,785	100%	3,112	100%	3,347	100%	37,282	100%					46,273
	1999/ 2000	3,403	100%	3,050	100%	1,992	100%	29,973	100%					38,302

<sup>1.</sup> Landings in live weight.

<sup>2.</sup> Gear data are based on vessel trip reports.

State landings for CT are estimated for the May 2003 - Jan. 2004 period.
 Fishing Year is May 1 through April 30.

<sup>\*\*</sup> For the 7 species under the Multispecies FMP other than cod, haddock and yellowtail flounder.

Table 10.A. - Preliminary Silver Hake Landings by Stock Area

	NOV -	2003	DEC -	2003	JAN -	2004	MAY 03 -	- JAN 04	Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
GULF OF MAINE	299	23%	92	6%	55	5%	3,236	24%	
OTTER TRAWL	243	19%	85	6%	54	5%	3,147	23%	
GILLNET	12	1%	0	0%	0	0%	27	0%	
HOOK	0	0%	0	0%	0	0%	9	0%	
OTHER GEARS	45	3%	7	0%	0	0%	53	0%	
SNE/ MID-ATLANTIC	1,012	77%	1,449	94%	1,096	95%	10,282	76%	
OTTER TRAWL	1,012	77%	1,447	94%	1,095	95%	10,227	76%	
GILLNET	0	0%	2	0%	0	0%	55	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
ALL AREAS	1,311	100%	1,542	100%	1,150	100%	13,518	100%	
OTTER TRAWL	1,255	96%	1,532	99%	1,150	100%	13,374	99%	
GILLNET	12	1%	3	0%	0	0%	82	1%	
HOOK	0	0%	0	0%	0	0%	10	0%	
OTHER GEARS	45	3%	7	0%	0	0%	53	0%	
Fishing Year 2003/2002 Fishing Year 2002/2003 Fishing Year 2001/2002 Fishing Year 2000/2001 Fishing Year 1999/2000 Fishing Year 1998/1999	1,311 1,146 1,685 1,606 2,093 2,574		1,542 921 1,161 1,340 1,534 1,920		1,150 1,096 1,167 2,802 2,383 2,383		13,518 12,932 19,971 20,487 22,270 24,581		- 15,741 24,585 27,359 29,045 33,308

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake Stock Areas: Gulf of Maine: 464-465, 511-515, 521-522, 561 Southern New England: 525-552, 611-639

- 2. Landings in live weight.
- 3. State landings for CT are estimated for the May 2003 Jan. 2004 period.
- 4. Gear data are based on vessel trip reports.
- \* Fishing Year is May 1 through April 30.

Table 10.B. - Preliminary Silver Hake Landings by Major Ports and States, May 03 - Jan 04

			STOCK	AREAS					GEAR	TYPES			
PORT/ STATE	MAY 03 - JAN 04	GULF OF	MAINE	SOUTHE ENGL		OTTER	TRAWL	GILL	.NET	но	ок	OTHER	GEARS
	1000 Lbs	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	1	1	100%	0	0%	1	0%	0	0%	0	0%	0	0%
Gloucester, MA	494	493	100%	0	0%	463	94%	22	4%	9	2%	0	0%
Boston, MA	28	11	37%	18	63%	28	100%	0	0%	0	0%	0	0%
New Bedford, MA	4,755	1,738	37%	3,017	63%	4,755	100%	0	0%	0	0%	0	0%
Point Judith, RI	3,763	386	10%	3,377	90%	3,762	100%	0	0%	0	0%	0	0%
MAINE	1	1	100%	0	0%	1	86%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	90	90	100%	0	0%	87	97%	3	3%	0	0%	0	0%
MASSACHUSETTS	5,594	2,555	46%	3,039	54%	5,507	98%	25	0%	10	0%	53	1%
RHODE ISLAND	4,161	387	9%	3,774	91%	4,110	99%	51	1%	0	0%	0	0%
CONNECTICUT	1,506	0	0%	1,506	100%	1,506	100%	0	0%	0	0%	0	0%
NEW YORK	2,103	202	10%	1,900	90%	2,102	100%	1	0%	0	0%	0	0%
NEW JERSEY	60	0	0%	60	100%	60	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	3	0	0%	3	92%	1	0%	2	78%	0	0%	0	0%
TOTAL	13,518	3,236	24%	10,282	76%	13,374	99%	82	1%	10	0%	53	0%

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake stock areas: Gulf of Maine: 464-465, 511-515, 521-522, 561
Southern New England: 525-552, 611-639

- 2. State landings for CT are estimated for the May 2003 Jan 2004 period.
- 3. Landings in live weight.
- 4. Gear data are based on vessel trip reports.

Table 11.A. - Preliminary Monkfish Landings by Stock Area

									2003/2	2004*	2002/2	2003*	Fishing
	NOV -	2003	DEC -	2003	JAN -	2004	MAY 03 -	JAN 04	May03-Jan04	Target	May02-Jan03	Target	Year*
									as a % of	TAC	as a % of	TAC	Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	Target TAC	1000 Lbs	Target TAC	1000 Lbs	1000 Lbs
NORTHERN	2,894	47%	2,078	50%	1,891	44%	20,888	52%	54%	39,039	86%	25,737	
OTTER TRAWL	2,239	36%	1,789	43%	1,810	42%	14,915				59%		
GILLNET	612	10%	269	6%			5,240				26%		
HOOK	0	0%	0	0%		0,0	1	0%	0%		0%		
OTHER GEARS	42	1%	20	0%	1	0%	731	2%	2%		1%		
SOUTHERN	3,297	53%	2,084	50%	2,397	56%	18,943	48%	84%	22,511		17,463	
OTTER TRAWL	318	5%	189	5%			2,182				9%		
GILLNET	2,650		1,710	41%	,		14,153				55%		
HOOK	0	0%	0	0%			1	0%			0%		
OTHER GEARS	328	5%	185	4%	406	9%	2,607	7%	12%		10%		
411 48540	0.404	4000/	4.400	4000/	4.007	4000/	00.000	4000/	050/	04 554	040/	40.000	
ALL AREAS OTTER TRAWL	6,191	<b>100%</b> 41%	4,163	100%	4,287	100% 47%	39,830	100%	<b>65%</b> 28%	61,551	<b>81%</b> 39%	43,200	
GILLNET	2,558	53%	1,978	48% 48%	1,998		17,097	43%					
HOOK	3,262	0%	1,980	48% 0%	1,883 0		19,393	49% 0%			37% 0%		
OTHER GEARS	370	6%	205	5%		9%	3,339				5%		
LANDINGS - ALL AREAS	370	0 70	200	370	407	370	3,339	070	370		370		
Fishing Year 2003/2004	6,191		4,163		4,287		39,830						_
Fishing Year 2002/2003	4.270		4,103 4,858		4,443		34,968						48,077
Fishing Year 2001/2002	5,853		6,580		5,392		42,546						57,148
Fishing Year 2000/2001	5,206		4,076		3,985		33,482						43,694
Fishing Year 1999/2000	4,923		4,438		3,345		39,822						52,979
Fishing Year 1998/1999	6,366		5,201		3,807		44,193						59,487

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish Stock Areas: Northern: 464-465, 467, 511-515, 521-522, 561-562 Southern: 525-526, 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. State landings for CT are estimated for the May 2003 Jan. 2004 period.
- 4. Gear data are based on vessel trip reports.
- \* Fishing Year is May 1 through April 30.

Table 11.B. - Preliminary Monkfish Landings by Major Ports and States, May 03 - Jan 04

			STOCK	AREAS					GEAR	TYPES			
PORT/ STATE	MAY 03 - JAN 04	NORT	HERN	SOUT	HERN	OTTER	TRAWL	GILL	.NET	НО	ок	OTHER	GEARS
	1000 Lbs	1000 Lbs	Percent										
Portland, ME	5,530	5,484	99%	46	1%	4,953	90%	577	10%	1	0%	0	0%
Gloucester, MA	4,704	4,619	98%	85	2%	2,209	47%	2,490	53%	0	0%	6	0%
Boston, MA	1,473	1,471	100%	1	0%	1,473	100%	0	0%	0	0%	0	0%
New Bedford, MA	8,710	4,330	50%	4,381	50%	4,317	50%	1,842	21%	0	0%	2,552	29%
Point Judith, RI	2,118	112	5%	2,007	95%	848	40%	1,180	56%	0	0%	90	4%
MAINE	6,957	6,904	99%	54	1%	6,253	90%	697	10%	1	0%	6	0%
NEW HAMPSHIRE	1,120	1,120	100%	0	0%	94	8%	1,018	91%	0	0%	8	1%
MASSACHUSETTS	17,839	11,971	67%	5,868	33%	8,609	48%	6,644	37%	0	0%	2,585	14%
RHODE ISLAND	4,698	871	19%	3,827	81%	1,699	36%	2,846	61%	0	0%	152	3%
CONNECTICUT	440	10	2%	430	98%	61	14%	264	60%	0	0%	115	26%
NEW YORK	918	0	0%	918	100%	114	12%	799	87%	1	0%	4	0%
NEW JERSEY	6,628	12	0%	6,616	100%	129	2%	6,195	93%	0	0%	304	5%
OTHER NORTHEAST	1,231	1	0%	1,229	100%	138	11%	930	76%	0	0%	162	13%
TOTAL	39,830	20,888	52%	18,943	48%	17,097	43%	19,393	49%	2	0%	3,339	8%

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish stock areas: Northern: 464-465, 467, 511-515, 521-522, 561-562 Southern: 525-526, 533-534, 537-539, 541-543, 611-639

- 2. State landings for CT are estimated for the May 2003 Jan. 2004 period.
- 3. Landings in live weight.
- 4. Gear data are based on vessel trip reports.

## Table 12.A. - Preliminary Sea Scallop Landings by Stock Area

	NON	NOV - 2003	DEC - 2003	2003	JAN - 2004	2004	MAR 03 - JAN 04	- JAN 04	Fishing Year*
									Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
GULF OF MAINE	16	%0	10	%0	6	1%	436	1%	
OTTER TRAWL	7			%0		%0	5	%0	
DREDGE	15		_	%0	6	1%	429	1%	
OTHER GEARS	0	%0	0	%0	0	%0	2	%0	
SOLITH CHANNEL	203	708	537	701/6	101	70/	5 207	110/	
OTTER TRAWI	633	%U		%U	5	%U	3.1	%U	
DREDGE	291	%8	53	24%	104	%2	5.866	11%	
OTHER GEARS	0	%0	0	%0	0	%0	0	%0	
GEORGES BANK NORTH	15	%0	24	1%	49	3%	2,537	2%	
OTTER TRAWL	5	%0	0	%0	0	%0	2	%0	
DREDGE	13	%0	24	1%	49	3%	2,535	5%	
OTHER GEARS	0	%0	0	%0	0	%0	0	%0	
GEORGES BANK SOUTH	48	1%	43	2%	136	%6	1.536	3%	
OTTER TRAWL	0	%0	0	%0	0	%0	1	%0	
DREDGE	47	1%	43	2%	136	%6	1,535	3%	
OTHER GEARS	0	%0	0	%0	0	%0	0	%0	
	;		:		,				
S. NEW ENGLAND	26	1%	10	%0	0	<b>%0</b>	141	<b>%</b> 0	
OTTER TRAWL	0			%0	0	%0	9	%0	
DREDGE	97		01	%0	0	%0	135	%0	
OI HER GEARS	0	%n	n	0%	O	%O	n	%n	
NEW YORK BIGHT	1.455	38%	629	30%	594	40%	19,199	36%	
OTTER TRAWI	α	%0	8	%0	4	%0	187	%0	
DREDGE	1,447	38%	29	30%	290	40%	19,012	36%	
OTHER GEARS	0	%0		%0	0	%0	1	%0	
DE / MD / VA	1,898	20%	953	45%	580	39%	23	43%	
OTTER TRAWL	159	4%		1%	15	1%		2%	
DREDGE	1,739	46%	91	41%	564	38%	20,50	38%	
OTHER GEARS	0	%0	0	%0	0	%0	0	%0	
VA / NC	20	1%	0	%0	13	1%	444	1%	
OTTER TRAWL		%0	0	%0	0	%0	26	%0	
DREDGE	47	1%	0	%0	13	1%	418	1%	
OTHER GEARS	0	%0	0	%0	0	%0	0	%0	
ALL AREAS	3.800	100%	2.257	100%	1.485	100%	53.357	100%	
OTTER TRAWL	174	2%	38	2%	20	1%	2.925	2%	
DREDGE	3,626	6	2,2	6	1,465	6	47	95%	
OTHER GEARS	0				0			%0	
LANDINGS - ALL AREAS									
Fishing Year 2003/2004	3,800		2,257		1,485		53,357		•
Fishing Year 2002/2003	3,119		2,567		1,579		49,795		51,734
Fishing Year 2001/2002 Fishing Year 2000/2001	1,609		2,399 1,848		2 000		32 649		34 309
Fishing Year 1999/2000	1,399		1,046		449		22,043		22,563
	,,,,(.					Ī			

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Sea Scallop Stock Areas: Gulf of Maine: 511-515; South Channel: 521-522, 526
Georges Bank North: 561-562; Georges Bank South: 525
Southern New England: 537-539; New York Bight: 611-616
DE / MD / VA: 621-623, 625-627; VA / NC: 631-638

**αω4**\*

Landings in meat weight.
State landings for CT are estimated for the Mar. 2003 - Jan 2004 period.
Gear data are based on vessel trip reports.
Fishing Year is March 1 through February 29.

Table 12.B. - Preliminary Scallop Landings by Major Ports and States, March 03 - Jan 04

									STO	CK AREAS	S						
PORT/ STATE	MAR 03 - JAN 04	GULF OF	MAINE	SOUTH C	HANNEL	GEORGE NOF	-	GEORGE SOU	-	SOUTHE ENGL		NEW YOR	RK BIGHT	DELM	IARVA	VIRGINIA CARO	/ NORTH DLINA
	1000 Lbs	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
New Bedford, MA	23,397	16	0%	5,406	23%	2,497	11%	1,536	7%	125	1%	11,229	48%	2,552	11%	36	0%
Cape May, NJ	6,851	3	0%	0	0%	0	0%	0	0%	0	0%	2,766	40%	4,056	59%	26	
Norfolk, VA	16,458	0	0%	21	0%	0	0%	0	0%	10	0%	985	6%	15,090	92%	351	2%
MAINE	73	23	31%	50	69%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	100	12	12%	87	88%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	24,175	397	2%	5,737	24%	2,509	10%	1,536	6%	130	1%	11,270	47%	2,560	11%	36	0%
RHODE ISLAND	48	0	0%	1	0%	0	0%	0	0%	0	0%	46	97%	0	0%	0	0%
CONNECTICUT	1,596	0	0%	0	0%	28	2%	0	0%	0	0%	1,515	95%	53	3%	0	0%
NEW JERSEY	10,220	3	0%	1	0%	0	0%	0	0%	0	0%	5,334	52%	4,855	48%	26	0%
VIRGINIA	16,935	0	0%	21	0%	0	0%	0	0%	10	0%	1,006	6%	15,519	92%	379	2%
OTHER NORTHEAST	211	0	0%	0	0%	0	0%	0	0%	0	0%	28	13%	180	85%	2	1%
TOTAL	53,357	436	1%	5,897	11%	2,537	5%	1,536	3%	141	0%	19,199	36%	23,167	43%	444	1%

				GEAR	TYPES		
PORT/ STATE	MAR 03 - JAN 04	OTTER	TRAWL	DRE	DGE	OTHER	GEARS
	1000 Lbs	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
New Bedford, MA	23,397	7	0%	23,390	100%	0	0%
Cape May, NJ	6,851	851	12%	6,000	88%	0	0%
Norfolk, VA	16,458	1,623	10%	14,835	90%	0	0%
MAINE	73	0	0%	71	98%	2	2%
NEW HAMPSHIRE	100	0	0%	99	100%	0	0%
MASSACHUSETTS	24,175	22	0%	24,153	100%	0	0%
RHODE ISLAND	48	1	3%	46	97%	0	0%
CONNECTICUT	1,596	1	0%	1,595	100%	0	0%
NEW JERSEY	10,220	924	9%	9,296	91%	1	0%
VIRGINIA	16,935	1,903	11%	15,032	89%	0	0%
OTHER NORTHEAST	211	74	35%	137	65%	0	0%
TOTAL	53,357	2,925	5%	50,429	95%	2	0%

 The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Scallop stock areas: Gulf of Maine: 511-515, South Channel: 521-522, 526, Georges Bank North: 561-562,
Georges Bank South: 525, Southern New England: 537-539, New York Bight: 611-616,
Delmarva: 621-623, 625-627, Virginia/North Carolina: 631-638

- 2. State landings for CT are estimated for the Mar. 2003 Jan. 2004 period.
- 3. Landings in meat weight.
- 4. Gear data are based on vessel trip reports.